

**Featured Items**

Soma
Tetracycline
Adipex-P
Fioricet
Tramadol

Online Drugstore Prices

A - M N - Z

Health Directory

Weight Loss
Antibiotics
Pain Relief
Muscle Relaxers
Sleeping Aids
Anxiety
Women's Health
Blood Pressure
Sexual Health
Headache
Allergy Medicine
Anti-Depressant
Anti-Psychotics
Chest Pain
Herpes
Men's Health
Skin Care
Asthma Medicine
Diabetes
Cholesterol
Bladder Control
Quit Smoking
Upset Stomach
Motion Sickness

Buy Phentermine - 15, 30 & 37.5Mg

Buy Phentermine from the online drugstore by choosing from the options below.

Phentermine Information

Drug Name: PHENTERMINE

APPETITE SUPPRESSANTS - ORAL

COMMON PHENTERMINE BRAND NAME(S):
Fastin, Ionamin, Plegine, Prelu-2, Sanorex, Tenuate

PHENTERMINE USES:

Phentermine is used in combination with a diet plan to help you reduce weight.

HOW TO USE PHENTERMINE:

Phentermine is best taken on an empty stomach one hour before meals. Sustained-release or long acting products must be swallowed whole. Crushing or chewing Phentermine will destroy the long action and may cause increased side effects. Because Phentermine may cause sleeplessness, avoid taking a dose late in the day. Take Phentermine as prescribed. Do not take Phentermine more often or longer than directed. Phentermine is usually taken for 8 to 12 weeks. Use Phentermine in combination with other appetite suppressant medicine is generally not recommended. Consult your doctor before such use of Phentermine.

PHENTERMINE SIDE EFFECTS:

Blurred vision, dizziness, dry mouth, sleeplessness, irritability, stomach upset or constipation may occur the first few days as your body adjusts to Phentermine. If these effects persist or become bothersome, inform your doctor. Notify your doctor if you experience: chest pain, nervousness, pounding heart, difficulty urinating, mood changes, breathing difficulties, swelling. If Phentermine makes you dizzy or lightheaded, avoid driving or engaging in activities requiring alertness. If you notice other effects from taking Phentermine not listed above, contact your doctor or pharmacist.

PHENTERMINE PRECAUTIONS:

Tell your doctor your complete medical history, especially if you have: high blood pressure, an over-active thyroid, glaucoma, diabetes, emotional problems. Phentermine can be habit forming and must be used with caution. Alcohol can increase unwanted side effects of dizziness. Limit alcohol use. Phentermine is not recommended for use in children. Consult your doctor or pharmacist for further information. Phentermine should be used only when clearly needed during pregnancy. Discuss the risk and benefits with your doctor. Phentermine may be excreted into breast milk. You may have to stop nursing or stop using Phentermine. Consult your doctor before breast-feeding while using Phentermine.

PHENTERMINE DRUG INTERACTIONS:

Inform your doctor about all the medicines you use, (prescription and nonprescription) especially if you take: high blood pressure medicine, MAO inhibitors (e.g., furazolidone, linezolid, phenelzine, selegiline, tranylcypromine),

Weight Loss

Adipex
Bontril
Didrex
Ionamin
Meridia
Phendimetrazine
Phentermine
Tenuate
Xenical

any other weight loss medicine before taking Phentermine. Avoid "stimulant" drugs that may increase your heart rate such as decongestants or caffeine. Decongestants are commonly found in over-the-counter cough-and-cold medicines. Do not start or stop Phentermine or any medicine without doctor or pharmacist approval.

PHENTERMINE OVERDOSE:

If Phentermine overdose is suspected, contact your local poison control center or emergency room immediately. Symptoms of Phentermine overdose may include restlessness, fever, fast breathing, dizziness, confusion, hallucinations, panic or paranoid, drowsiness, convulsions, unconsciousness, unusually fast or slow heart beat, headache, nausea/vomiting, diarrhea, stomach pain, pale or flushing, chest pain, sweating, muscle weakness, agitation, large pupils, or delusions.

PHENTERMINE NOTES:

Appetite suppressants are not a substitute for proper diet. For maximum effects, Phentermine must be used in conjunction with a diet and exercise program. Do not share Phentermine with others.

MISSED PHENTERMINE DOSE:

If you miss a Phentermine dose, do not double the next Phentermine dose. Instead, skip the missed dose and resume your usual Phentermine dosing schedule.

PHENTERMINE STORAGE:

Store Phentermine at room temperature away from sunlight and moisture. Do not store Phentermine in the bathroom.

IMPORTANT PHENTERMINE NOTE:

THE FOLLOWING INFORMATION IS INTENDED TO SUPPLEMENT, NOT SUBSTITUTE FOR, THE EXPERTISE AND JUDGMENT OF YOUR PHYSICIAN, PHARMACIST OR OTHER HEALTHCARE PROFESSIONAL. IT SHOULD NOT BE CONSTRUED TO INDICATE THAT USE OF THE DRUG IS SAFE, APPROPRIATE, OR EFFECTIVE FOR YOU. CONSULT YOUR HEALTHCARE PROFESSIONAL BEFORE USING PHENTERMINE.

[View page as PDF](#)

Find a prescription drug by clicking on the first letter of the drug's name to show a list of all drugs starting with that letter:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Marketing Partners

